

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"20030014198"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:40
S1	1	KOWAL-ANTHONY-J	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 17:55
S2	1	MCDONALD-BENJAMIN-EDWARD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 17:56
S3	5	LI-XUE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 17:55
S4	161	panametric\$4.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 17:56
S5	17	S4 and load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 17:56
S6	9	S4 and load and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:01
S7	1	S1 and load and loop\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:02
S8	36	(flowmeter\$4 or (flow adj meter\$1) or (flow\$3 near rate\$1)) and (ultrasonic\$5 or ultrasound or (ultra adj (sound\$1 or sonic\$5))) and (loop\$1 with power with (supply or supplies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:16

S9	58	(flowmeter\$4 or (flow adj meter\$1) or (flow\$3 near rate\$1)) and (ultrasonic\$5 or ultrasound or (ultra adj (sound\$1 or sonic\$5))) and (loop\$1 with power with (supply or supplies or current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:16
S10	19	(flowmeter\$4 or (flow adj meter\$1) or (flow\$3 near rate\$1)) and (ultrasonic\$5 or ultrasound or (ultra adj (sound\$1 or sonic\$5))) and (loop\$1 with power with (supply or supplies or current)) and load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:21
S11	23	(flowmeter\$4 or (flow adj meter\$1) or (flow\$3 near rate\$1)) and (ultrasonic\$5 or ultrasound or (ultra adj (sound\$1 or sonic\$5))) and (loop\$1 with power with (supply or supplies or current)) and ((power or energy) with (consum\$5 or save\$1 or saving or conserv\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:39
S12	253	(700/295).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:37
S13	126	(700/297).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:37
S14	77	(700/298).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:37
S15	126	(700/22).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:37
S16	713	(700/286).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:37
S17	181	(700/291).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:38

S18	1247	S12 S13 S14 S15 S16 S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:38
S19	3	S18 and (ultrasonic\$5 or ultrasound or (ultra adj (sound\$1 or sonic\$5))) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:43
S20	488	(702/45).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:42
S21	340	(702/50).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:43
S22	93	(702/54).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:42
S23	556	(702/60).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:42
S24	242	(702/61).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:42
S25	1262	(73/861).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:42
S26	465	(73/861.18).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:42
S27	390	(73/861.25).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:42

S28	60	(702/48).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:43
S29	3282	S20 S21 S22 S23 S24 S25 S27 S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:43
S30	22	S29 and (ultrasonic\$5 or ultrasound or (ultra adj (sound\$1 or sonic\$5))) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:49
S31	100	S29 and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and (control with signal\$1) and voltage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:50
S32	70	S29 and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and (control with signal\$1) and (voltage\$1 with (reduc\$6 or decreas\$6 or low\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:53
S33	39	S18 and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and (control with signal\$1) and (voltage\$1 with (reduc\$6 or decreas\$6 or low\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:51
S34	34	S29 and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control with signal\$1) with volt\$5) and (voltage\$1 with (reduc\$6 or decreas\$6 or low\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 18:58
S35	3253	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control with signal\$1) with volt\$5) and (voltage\$1 with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:02

S36	1990	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with volt\$5) and (voltage\$1 with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:02
S37	311	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with volt\$5) and (voltage\$1 with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:03
S38	173	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with volt\$5) and (voltage\$1 with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load with voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:04
S39	72	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with volt\$5) and (voltage\$1 with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load near voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:10
S40	30	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with volt\$5 with load) and (voltage\$1 with load with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load near voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:12

S41	30	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with volt\$5 with load) and (voltage\$1 with load with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load near voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:20
S42	11	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with volt\$5 with load) and (voltage\$1 with load with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (reference near volt\$5)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load near voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:35
S43	24	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with volt\$5 with load) and (voltage\$1 with load with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load near voltage) and (regulat\$6 with (volt\$4 or current\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:21
S44	24	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with volt\$5 with load) and (voltage\$1 with load with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load near voltage) and (regulat\$6 with (volt\$4 or current\$1 or power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:57

S45	0	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with volt\$5 with load) and (voltage\$1 with load with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1) with ad) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load near voltage) and (regulat\$6 with (volt\$4 or current\$1 or power) with load\$1 with ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:33
S46	3	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with (volt\$5 near load\$1)) and ((voltage\$1 near load\$1) with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (reference near volt\$5)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load\$1 near voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:42
S47	3	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with (voltage\$1 near2 load\$1)) and ((voltage\$1 near2 load\$1) with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (reference near voltage\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load\$1 near2 voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 19:43

S48	10	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with (voltage\$1 near2 load\$1)) and ((voltage\$1 near2 load\$1) with (reduc\$6 or decreas\$6 or low\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load\$1 near2 voltage\$1) and (regulat\$6 with (volt\$4 or current\$1 or power)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 20:32
S49	6	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with (voltage\$1 near2 load\$1)) and ((voltage\$1 near2 load\$1) with (reduc\$6 or decreas\$6 or lower\$4)) and ((loop\$1 or (two adj wire\$1)) with (supply or supplies or current) with (control with signal\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load\$1 near2 voltage\$1) and (regulat\$6 with (volt\$4 or current\$1 or power)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 20:33
S50	25	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with (voltage\$1 near2 load\$1)) and ((voltage\$1 near2 load\$1) with (reduc\$6 or decreas\$6 or lower\$4)) and ((supply or supplies or current) with (control with signal\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load\$1 near2 voltage\$1) and (regulat\$6 with (volt\$4 or current\$1 or power)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 20:45
S51	18	((loop\$1 or (two adj wire\$1)) with (supply or supplies or current)) and ((control near signal\$1) with (voltage\$1 near2 load\$1)) and ((voltage\$1 near2 load\$1) with (reduc\$6 or decreas\$6 or lower\$4)) and ((supply or supplies or current) with (reference near voltage\$1)) and ((conserv\$6 or store\$1 or storing or storage) with power) and (load\$1 near2 voltage\$1) and (regulat\$6 with (volt\$4 or current\$1 or power)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:40



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"20030014198"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:40
L3	0	702/45.ccls. and ((power near suppl\$5 near loop\$1) and regulat\$5).clm.	US-PGPUB	OR	OFF	2006/01/09 09:23